

# Cambridge IGCSE™

### **CAMBRIDGE INTERNATIONAL MATHEMATICS**

0607/42 February/March 2025

Paper 4 (Extended) MARK SCHEME Maximum Mark: 75

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the February/March 2025 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

# **Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

### GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

# Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

### Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

#### Annotations

Annotation	Meaning	
<b>^</b>	More information required	
A0	Accuracy mark awarded zero	
A1	Accuracy mark awarded one	
A2	Accuracy mark awarded two	
A3	Accuracy mark awarded three	
BO	Independent mark awarded zero	
B1	Independent mark awarded one	
<b>B2</b>	Independent mark awarded two	
BOD	Benefit of the doubt	
E	Communication mark	
×	Incorrect point	
FT	Follow through	
Highlighter	Highlight a key point in the working	
ISW	Ignore subsequent work	
MO	Method mark awarded zero	
M1	Method mark awarded one	
M2	Method mark awarded two	
MR	Misread	
0	Omission	

Annotation	Meaning
Off-page comment	Allows comments to be entered at the bottom of the RM marking window and then displayed when the associated question item is navigated to.
On-page comment	Allows comments to be entered in speech bubbles on the candidate response.
Pre	Premature rounding/approximation
SC	Special case
SEEN	Indicates that work/page has been seen
TE	Transcription error
✓	Correct point
ХР	Not from wrong working

# MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

### Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

#### Abbreviations

- awrt answers which round to
- cao correct answer only
- dep dependent
- FT follow through after error
- isw ignore subsequent working
- nfww not from wrong working
- oe or equivalent
- rot rounded or truncated
- SC Special Case
- soi seen or implied

# Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Partial Marks
1(a)	6x + 14 or $2(3x + 7)$ Final answer	2	<b>M1</b> for $3x + 4 + 3x + (7 - 4) + 7$ oe or <b>B1</b> for $6x + k$ ( $k \neq 22$ ) or $kx + 14$ ( $k \neq 8$ ) or correct answer spoilt
1(b)	15 <i>x</i>	2	<b>M1</b> for area of one correct rectangle e.g. $21x$ , $12x$ , $7x$
2	252	2	<b>M1</b> for $\frac{108}{5-2}$ soi by 36 or $\frac{5-2}{7}$ oe
3	$4\frac{16}{27}$	1	
4(a)	$\begin{pmatrix} -3\\5 \end{pmatrix}$	2	<b>B1</b> for either component
4(b)	5.1[0] or 5.099 or answer $\sqrt{26}$	2	<b>M1</b> for $5^2 + (-1)^2$
5	4.72 or 4.723	1	
6	67	1	
7	7.23 ×10 <sup>9</sup> cao	1	
8(a)	correct sketch	2	<b>B1</b> for correct shape but: touching <i>x</i> axis or maximum not on <i>y</i> -axis or too high or too low or distinct curl-up at one or both ends or curvature incorrect on one side.
8(b)	x < -1.73 or $x < -1.725x > 0.852$ or $x > 0.8524$ to 0.8525	4	<b>B2</b> for $x < -1.73$ or $x < -1.725$ or <b>B1</b> for $-1.73$ to $-1.72$ seen <b>B2</b> for $x > 0.852$ or $x > 0.8524$ to $0.8525$ or <b>B1</b> for $0.85$ or $0.852$ to $0.853$ seen If 0 scored <b>SC1</b> for sketch of positive quadratic

Question	Answer	Marks	Partial Marks
9(a)	Correct plots	2	<b>B1</b> for 2 correct plots
9(b)	[y =] 0.459x + 3.89	2	<b>B1</b> for [ <i>y</i> =] 0.459 <i>x</i> + <i>k</i> or [ <i>y</i> =] <i>kx</i> + 3.89 or [ <i>y</i> =] 0.46 <i>x</i> + 3.9
10	5 nfww	3	M2 for $49 + 4x = 2.3 \times (25 + x)$ or M1 for numerator $1 \times 14 + 2 \times 5 + 3 \times 3 + 4x$ + $5 \times 2 + 6 \times 1$ or better or for denominator $14 + 5 + 3 + x + 2 + 1$ or better
11	23	4	<b>B3</b> for 22.704 or 22.7 OR <b>M3</b> for $n \log \left(1 + \frac{3.1}{100}\right) = \log \frac{900}{450}$ oe or a good sketch indicating value between 22 and 23 or correct trials reaching 22 and 23 or <b>M2</b> for $\left(1 + \frac{3.1}{100}\right)^n = \frac{900}{450}$ oe or suitable graph or at least three correct trials or <b>M1</b> for $450 \left(1 + \frac{3.1}{100}\right)^n = 900$ oe soi or at least 2 trials with $n > 1$
12(a)	$\frac{41 \times 32 \times 25}{1000}$ = 32.8 with no errors	M2	<b>M1</b> for $41 \times 32 \times 25$ or for dividing by 1000 seen
12(b)(i)	9.15 or 9.146	3	<b>B1</b> for 1.5 oe or 3 seen <b>M1</b> for $\frac{2 \times their 1.5}{32.8} [\times 100]$
12(b)(ii)	[0]3 04	3	M1 for $\frac{32.8}{2}$ M1 FT for correct conversion of <i>their</i> length of time to hours and minutes 16 hours 24 min
13(a)	10	1	

# Cambridge IGCSE – Mark Scheme **PUBLISHED**

	Answer	Marks	Partial Marks
	$4x^2 + 8x + 2$ or $2(2x^2 + 4x + 1)$ final answer	2	<b>M1</b> for $4(x + 1)^2 - 2$ or better
13(c)	$\frac{x+2}{4}$ of final answer	2	<b>M1</b> for $x = 4y - 2$ or $y + 2 = 4x$ or $\frac{y}{4} = x - \frac{2}{4}$
13(d)	5 cao	1	
14(a)	63.4 or 63.44	2	<b>M1</b> for $\frac{1}{2} \times 10 \times 14 \times \sin 65$
14(b)	12.7 or 12.68 to 12.69 nfww	3	M2 for $\sin 65 = \frac{x}{14}$ oe or <i>their</i> area $= \frac{1}{2} \times 10 \times x$ or M1 for recognising shortest distance
14(c)	44.2 or 44.18 to 44.23	6	M2 for $[BD = ]\sqrt{10^2 + 14^2 - 2 \times 10 \times 14 \cos 65}$ or M1 for $10^2 + 14^2 - 2 \times 10 \times 14 \times \cos 65$ M2 for $[BC =] \frac{their BD \sin(theirBDC)}{\sin 75}$ oe or M1 for $\frac{BC}{\sin(theirBDC)} = \frac{their BD}{\sin 75}$ oe OR M2 for $\sqrt{(theirBD)^2 + (theirBD)^2} - 2(theirBD)(theirBD)\cos 30$ or M1 for $(theirBD)^2 + (theirBD)^2 - 2(theirBD)(theirBD)\cos 30$ OR M2 for $2 \times theirBD \times \cos 75$ or M1 for $\cos 75 = \frac{\frac{1}{2}BC}{theirBD}$ M1 for $10 + 14 + their BC + their CD$ dependent on at least trigonometry used for BC and CD
15(a)	kite	1	

# Cambridge IGCSE – Mark Scheme **PUBLISHED**

Question	Answer	Marks	Partial Marks
15(b)	18.[0] or 17.99	3	<b>M2</b> for $\frac{154}{360} \times \pi \times 4^2 - \frac{1}{2} \times 4 \times 4 \times \sin 154$ oe
			or <b>M1</b> for $\frac{154}{360} \times \pi \times 4^2$ or $\frac{1}{2} \times 4 \times 4 \times \sin 154$ oe
15(c)	13.8 or 13.78	3	<b>M2</b> for $\frac{4}{\cos 77} - 4$ oe
			<b>M1</b> for $\cos 77 = \frac{4}{r}$ oe or better
			or <b>M1</b> for <i>their OB</i> $-4$
16	0.512	2	<b>M1</b> for $(1-0.2)^n$ or $n > 1$
17	$16a^4b^{-2}$ or $\frac{16a^4}{b^2}$ final answer	3	<b>B2</b> for two parts correct in final answer or <b>B1</b> for one out of three parts correct in final answer
			OR
			<b>M2</b> for $(4a^2b^{-1})^2$ seen or $(4096a^{12}b^{-6})^{\frac{1}{3}}$
			or <b>M1</b> for $4a^2b^{-1}$ or $4096a^{12}b^{-6}$ seen with no more than one error
18(a)	10(x+1) - 6(2x-5) or better	M1	
	$2x^2 - 5x + 2x - 5$	M1	
	Correct method for clearing fractions	M1	
	Leading to $2x^2 - x - 45 = 0$	A1	No errors or omissions
18(b)	(2x+9)(x-5) = 0	M2	<b>M1</b> for $(2x + a)(x + b)$ where $ab = -45$ or $a + 2b = -1$
			or $2x(x-5) + 9(x-5)$ [=0] or $x(2x+9) - 5(2x+9)$ [=0]
	[x =] 5 [x =] -4.5 oe	B1	